

## CM 23944 –BILE SALT MIXTURE (STD) TBL POWDER

### INTENDED USE

Bile Salt Mixture(STD) TBL Powder is used in culture media ingredient and recommended for Bacteriological grade.

### PRODUCT SUMMARY AND EXPLANATION

BileSaltMixture (STD) TBL Powder, dried isamixture of conjugated bile acids (Cholic Acid, Deoxycholic Acid, Taurocholic and Glycocholic Acids). It is a straight forward drying of Ox Bile liquid, which contains all of the constituents characteristics, found in Ox Bile . It is Yellowish brown color free flowing powder having characteristic Bile odor but not pungent smell and Soluble in distilled water and alcohol.

### PRINCIPLE

BileSalt Mixture (STD) TBL Powder used as a selective inhibitory agent in bacteriological culture media. It is recommended for use is microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria.

### INSTRUCTIONFOR USE

BileSaltMixture (SST)TBLPowder used in bacteriological culture media as a selective inhibitory agent for isolation and identification of pathogens.

### QUALITY CONTROL SPECIFICATIONS

Appearance	:	White color free flowing powder having characteristic Bile odor but not pungent smell.
Solubility (2% soln. at 25 <sup>o</sup> C)	:	Soluble in distilled water and alcohol.
Clarity (2% Soln.at 121 <sup>o</sup> C)	:	Clear solution. No ppt.
pH (2% Soln. at 25 <sup>o</sup> C)	:	7.0 – 8.0
Loss on drying (at 105 <sup>o</sup> C)	:	NMT – 5.0%
Sodium Cholate & Sodium Deoxycholate	:	NLT – 98.0%
Microbial Parameter	:	Passes Test
Culture Response	:	Bile Salt 0.15% used as ingredient in MacConkey Agar (TM349) Culture response observed after an incubation at 35-37°C for 18-24 hours.

### INTERPRETATION

Cultural Characteristic observed in MacConkey agar with 0.15%Bile Salt Mixture (STD) TBL Powder after incubation at 35-37°C for 18-24 hours.

Microorganism	ATCC	Inoculum (CFU/ml)	Growth
Escherichia coli	8739	79	Good – Luxuriant/Bile precipitation
Proteus vulgaris	13315	82	Good – Luxuriant
Salmonella typhimurium	14028	76	Good – Luxuriant
Enterococcus faecalis	29212	78	Fair
Staphylococcus aureus	6538	≥1000	Inhibited
Klebsiella Pneumoniae	13883	79	Good – Luxuriant



**PACKAGING:**

Standardpacking is 100gm, 500gm in plastic bottle. After packing tightly closed in a dry and well-ventilated place.

**STORAGE**

Keepplastic bottle tightly closed in a dry and well-ventilated place, Store in cool place. Use before expiry date on label. On opening, product should be properly stored in dry ventilated area protected from extremes of temperature and sources of ignition. Seal the plastic bottle after use.

**PRODUCT DETERIORATION:** Do not use product if any contamination, discoloration or other sign of deterioration is found.

**DISPOSAL**

Afteruse,contact a licenced professional waste disposal service to dispose of this material. Dispose of as unused product.

**REFERENCES**

1. Vanderzant, C., and D. F. Splittstoesser (eds.). 1992. Compendium of methods for the microbiological examination of food, 3rd ed. American Public Health Association, Washington, D.C.



Quantity



Lot / Batch Number



Temprature Unit



Best Before



QR Code



Catalogue No.



Consults Instructions for use :



Manufacturer

NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

\*ForLabUseOnly

