

CM 23761 – CLOSTRIDIUM DIFFICILE SUPPLEMENT

INTENDED USE

For selective isolation and enumeration of *Vibrio* species from food.

COMPOSITION

Ingredients	Concentration
D-Cycloserine	250mg
Cefoxitin	8mg


(Per vial sufficient for 500ml medium)

INSTRUCTION FOR USE

Rehydrate the contents of one vial aseptically with 2 ml sterile distilled water. Mix well and aseptically add along with 7% v/v defibrinated horse blood to 500 ml sterile, molten, cooled (45-50°C) CLOSTRIDIUM DIFFICILE AGAR BASE / CLOSTRIDIUM BRAZIER AGAR BASE. Mix well and pour into sterile petri plates. Sheep blood may be used in place of horse blood but some strains of the organism will show a slightly reduced growth.

STORAGE

Vial should be stored in sealed container at 2-8°C.

 GMP Good Manufacturing Practices Certified	 IVD For In Vitro Diagnostic Use	 QTY. Quantity	 LOT/ B. NO. Lot / Batch Number	 REF Catalogue Number	 Manufacturer
 Temperature Unit	 EC REP Authorized Representative Müller Marti GmbH Buckhorn 10 48143 Münster, Germany	 European Conformity	 QR Code	 Consults Instructions for Use	 Best Before

NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For Lab Use Only