

CM 23797 – KANAMYCIN AND VANCOMYCIN SUPPLEMENT

INTENDED USE

An antibiotic supplement recommended for the selective isolation of Gram-negative anaerobes.

COMPOSITION

Ingredients	Concentration
Kanamycin	10.00 mg
Vancomycin	7.50 mg

INSTRUCTION FOR USE

One vial sufficient for 950ml medium. Rehydrate the contents of 1 vial aseptically with 5 ml of sterile distilled water. Mix well and aseptically add it to 950 ml of sterile, molten, cooled (45-50°C) Schaedler Agar along with 50 ml sterile defibrinated sheep blood and rehydrated contents of 1 vial of Vitamin K1 Supplement. Mix and pour into sterile petri plates.

STORAGE

Vial should be stored in sealed container at 2-8°C.

 GMP Good Manufacturing Practices Certified	 IVD For In Vitro Diagnostic Use	 QTY. Quantity	 LOT/ B. NO. Lot / Batch Number	 REF Catalogue Number	 Manufacturer
 Temperature Unit	 EC REP Authorized Representative MedNet GmbH Birkstrasse 10, 48163 Münster, Germany	 CE European Conformity	 QR Code	 Consults Instructions for Use	 Best Before

NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For LabUse Only