

CM 23874 – POTASSIUM CHLORATE SUPPLEMENT

INTENDED USE

For selective enrichment of *Yersinia enterocolitica*.

COMPOSITION

Ingredients	Concentration
Potassium chlorate	1g
Distilled water	10ml

(per vial sufficient for 1000ml medium)

INSTRUCTION FOR USE

Warm up the refrigerated solution to room temperature. Aseptically add the contents of 1 vial to 988 ml of sterile, cooled (45-50°C) ITC BROTH BASE (TTC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE) along with the contents of 1 vial of Ticarcillin Supplement. Mix well and dispense into sterile tubes.

STORAGE

Vial should be stored in sealed container at 2-8°C.

 GMP Good Manufacturing Practices Certified	 IVD For In Vitro Diagnostic Use	 QTY. Quantity	 LOT/ B. NO. Lot / Batch Number	 REF Catalogue Number	 Manufacturer
 Temperature Unit	 EC REP Authorized Representative MedWet GmbH Buckenhof 16, 48147 Münster, Germany	 European Conformity	 QR Code	 Consults Instructions for Use	 Best Before

NOTE: Please consult the Material Safety Data Sheet for information regarding hazards and safe handling Practices.

*For Lab Use Only

